ELSEVIER

Journal of Alloys and Compounds 237 (1996) 165

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 237

Ahmed, F.M., 93
Ataie, A., 93

Belozerov, Ye.V., 101
Berger, R., 33
Brock, S.L., 9
Bros, J.P., 155
Burkhardt, C., 113

Chuang, Y.C., 58
Clavaguera, N., 20

Deura, T.N., 150
Du, Y., 20

Fukuda, T., 89
Fukushima, K., 6

Gabay, A.M., 101
Gambino, M., 155
Gaune, P., 155
Gaviko, V.S., 101
Greedan, J.E., 9
Guo, J.T., 139

Harris, I.R., 93, 113
Hjort, P., 74
Hu, Z.Q., 139

Iwadate, Y., 6
Iyer, V.S., 49

Jayanthi, K., 49
Jin, X.M., 58

Kasemo, B., 74
Kauzlarich, S.M., 9
Krozer, A., 74
Kuz'ma, Yu.B., 144

Li, D., 45
Li, J.Y., 58
Lieb, K.-P., 81
Lu, L., 45

Maehara, Y., 108
Makita, K., 108
Malaman, B., 61
Manfrinetti, P., 121

Mathon, M., 155
Meng, C.G., 139
Miane, J.M., 155
Morozkin, A.V., 124

Niederdrenk, M., 81
Norén, L., 33

Oishi, T., 150
Okabe, T.H., 150
Olson, S., 39
Ono, K., 150

Palenzona, A., 121
Popov, A.G., 101

Raju, N.P., 9
Ressouche, E., 61

Sadoway, D.R., 150
Sali, S.K., 49
Sampath, S., 49
Schaaf, P., 81
Schulte, O., 81

Seropegin, Yu.D., 124
Shchegoleva, N.N., 101
Shishido, T., 89
Steinhorst, M., 113
Stel'makhovych, B.M., 144
Stomberg, R., 39
Sun, H., 108
Switzer, J.A., 1

Tomida, T., 108

Ukei, K., 89

Venturini, G., 61
Venugopal, V., 49

Wang, B.W., 58
Wang, X., 45
Wang, X., 45
Wu, C.H., 58

Yermolenko, A.S., 101

Zhak, O.V., 144
Zhou, Y., 1

Elsevier Science S.A.

ELSEVIER

Journal of Alloys and Compounds 237 (1996) 167–169

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 237

Aluminum
thermodynamic assessment of the Al–Ni system 20
Antiferromagnetism
the magnetic structures of the mixed layer pnictide oxide compounds $Sr_2Mn_3Pn_2O_2$ (Pn = As, Sb) 9

$[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$)
a new composite crystal of $[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$) grown by the flux method using CuO as flux 89
Bond strength calculations
relationship between bonding characteristics and mechanical properties of $L1_2$ intermetallics 139

Cadmium alloys
the phase diagram of the Sc–Cd system 121
Calculation
thermodynamic assessment of the Al–Ni system 20
Cerium oxide
growth of cerium(IV) oxide films by the electrochemical generation of base method 1
Composite crystal
a new composite crystal of $[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$) grown by the flux method using CuO as flux 89
Crystal growth
a new composite crystal of $[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$) grown by the flux method using CuO as flux 89
Crystal structure
the phase diagram of the Sc–Cd system 121
Crystal structures
analysis of phase equilibria in R–T–X systems and analysis of the size factor in the RT_2X_2, RTX_3, RTX_2 ($R_2T_3X_5$), RTX and R_2XT_3 compounds (R = rare earths (Ce,Gd,Sm,Eu,Yb); T = transition metals (Fe,Co,Ni,Ru,Rh,Pd,Pt); X = Si,Ge) 124

Deoxidation
electrochemical deoxidation of yttrium–oxygen solid solutions 150
Diffusion
nitrogenation process of Sm_2Fe_{17} 108
Direct-reduction
detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113

Electrochemical deposition
growth of cerium(IV) oxide films by the electrochemical generation of base method 1
Enthalpy of formation
gallium + lead system: molar heat capacity and miscibility gap 155
Exchange coupled magnets
investigation of phase composition and remanence enhancement in rapidly quenched $Nd_x(Fe, Co)_{85}B_6$ alloys 101

Flux method
a new composite crystal of $[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$) grown by the flux method using CuO as flux 89

[Ga + Pb] system
gallium + lead system: molar heat capacity and miscibility gap 155
Ga additions
detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113

HDDR
HDDR behaviour of Nb-containing Nd–Fe–B near-stoichiometric alloys 93
detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113
Heat capacity
gallium + lead system: molar heat capacity and miscibility gap 155
Hydriding kinetics
hydrogen sorption kinetics in partly oxidized Mg films 74

Intermetallics
relationship between bonding characteristics and mechanical properties of $L1_2$ intermetallics 139
Iron
characterization of magnetron-sputtered ϵ iron-nitride films 81
Iron germanides
investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction 61
Isothermal section
the Sm–Ag–Al system 144
Isothermal sections
analysis of phase equilibria in R–T–X systems and analysis of the size factor in the RT_2X_2, RTX_3, RTX_2 ($R_2T_3X_5$), RTX and R_2XT_3 compounds (R = rare earths (Ce,Gd,Sm,Eu,Yb); T = transition metals (Fe,Co,Ni,Ru,Rh,Pd,Pt); X = Si,Ge) 124

Lanthanum bromide
molar volume and ionic conduction in molten $LaBr_3$ 6
Laves phases
structure and magnetostriction of $R(Fe_{1-x}Al_x)_2$ alloys (R = $Dy_{0.65}Tb_{0.25}Pr_{0.1}$) 58
Layered compounds
the magnetic structures of the mixed layer pnictide oxide compounds $Sr_2Mn_3Pn_2O_2$ (Pn = As, Sb) 9
Liquid alloy
gallium + lead system: molar heat capacity and miscibility gap 155

Magnesium hydride
hydrogen sorption kinetics in partly oxidized Mg films 74
Magnetic measurements
investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction 61

Magnetic structure
the magnetic structures of the mixed layer pnictide oxide compounds $Sr_2Mn_3Pn_2O_2$ (Pn = As, Sb) 9
Magnetostriction
structure and magnetostriction of $R(Fe_{1-x}Al_x)_2$ alloys (R = $Dy_{0.65}Tb_{0.25}Pr_{0.1}$) 58
Manganese germanides
investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction 61
Mechanical properties
relationship between bonding characteristics and mechanical properties of $L1_2$ intermetallics 139
Melt
molar volume and ionic conduction in molten $LaBr_3$ 6
Metal deficient sulphide
on the stoichiometry, space group and polymorphism of $TlCu_7S_4$ 33
Miscibility gap
gallium + lead system: molar heat capacity and miscibility gap 155
Molar conductivity
molar volume and ionic conduction in molten $LaBr_3$ 6
Molar volume
molar volume and ionic conduction in molten $LaBr_3$ 6

Nanocomposite magnets
investigation of phase composition and remanence enhancement in rapidly quenched $Nd_9(Fe, Co)_{85}B_6$ alloys 101
Nanostructured
synthesis of substituted M- and W-type barium ferrite nanostructured powders by stearic acid gel method 45
Nd–Fe–B
detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113
Near-stoichiometric Nd–Fe–B
HDDR behaviour of Nb-containing Nd–Fe–B near-stoichiometric alloys 93
Neutron diffraction
the magnetic structures of the mixed layer pnictide oxide compounds $Sr_2Mn_3Pn_2O_2$ (Pn = As, Sb) 9
on the stoichiometry, space group and polymorphism of $TlCu_7S_4$ 33
investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction 61
Nickel
thermodynamic assessment of the Al–Ni system 20
Niobium
HDDR behaviour of Nb-containing Nd–Fe–B near-stoichiometric alloys 93
Nitride phases
characterization of magnetron-sputtered ε iron-nitride films 81
Nitrogen
characterization of magnetron-sputtered ε iron-nitride films 81
Nitrogenation
nitrogenation process of Sm_2Fe_{17} 108

Oxidized magnesium films
hydrogen sorption kinetics in partly oxidized Mg films 74

Permanent magnet
detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113
Permanent magnets
HDDR behaviour of Nb-containing Nd–Fe–B near-stoichiometric alloys 93
Peroxomolybdate
studies on peroxomolybdates. XIX. Crystal structure of potassium heptaoxotetraperoxotrimolybdate(VI)–water(1/2) $K_4[Mo_3O_7(O_2)_4]\cdot 2H_2O$ 39
Phase diagram
thermodynamic assessment of the Al–Ni system 20
the phase diagram of the Sc–Cd system 121
the Sm–Ag–Al system 144
gallium + lead system: molar heat capacity and miscibility gap 155
Pnictide oxide compounds
the magnetic structures of the mixed layer pnictide oxide compounds $Sr_2Mn_3Pn_2O_2$ (Pn = As, Sb) 9
Purification
electrochemical deoxidation of yttrium–oxygen solid solutions 150

Rare earth
investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction 61
Rare earth transition metal compounds
structure and magnetostriction of $R(Fe_{1-x}Al_x)_2$ alloys (R = $Dy_{0.65}Tb_{0.25}Pr_{0.1}$) 58
Refining
electrochemical deoxidation of yttrium–oxygen solid solutions 150
Remanence enhancement
investigation of phase composition and remanence enhancement in rapidly quenched $Nd_9(Fe, Co)_{85}B_6$ alloys 101

Scandium alloys
the phase diagram of the Sc–Cd system 121
Sc–Cd system
the phase diagram of the Sc–Cd system 121
SEM
detailed SEM studies of the HDDR behaviour of direct-reduced $Nd_{15}Fe_{77}B_8$ and $Nd_{15}Fe_{77-x}B_8Ga_x$ powders 113
Single crystal
a new composite crystal of $[Ba]_x[(Pt, Cu)O_3]$ ($x = 1.317$) grown by the flux method using CuO as flux 89
Sm–Ag–Al system
the Sm–Ag–Al system 144
Sm_2Fe_{17}
nitrogenation process of Sm_2Fe_{17} 108
Solid solutions
investigations of the solid solution $NdMn_{2-x}Fe_xGe_2$ ($x = 0.1$–1.4) by magnetic measurements and neutron diffraction 61
Stearic acid gel method
synthesis of substituted M- and W-type barium ferrite nanostructured powders by stearic acid gel method 45
Structure
on the stoichiometry, space group and polymorphism of $TlCu_7S_4$ 33
Substituted barium ferrite
synthesis of substituted M- and W-type barium ferrite nanostructured powders by stearic acid gel method 45

Ternary phase diagrams
analysis of phase equilibria in R–T–X systems and analysis of the size factor in the RT_2X_2, RTX_3, RTX_2 ($R_2T_3X_5$), RTX and R_2XT_3 compounds (R = rare earths (Ce,Gd,Sm,Eu,Yb); T = transition metals (Fe,Co,Ni,Ru,Rh,Pd,Pt); X = Si,Ge) 124
Ternary rare earth compounds
analysis of phase equilibria in R–T–X systems and analysis of the size factor in the RT_2X_2, RTX_3, RTX_2 ($R_2T_3X_5$), RTX and R_2XT_3 compounds (R = rare earths (Ce,Gd,Sm,Eu,Yb); T = transition metals (Fe,Co,Ni,Ru,Rh,Pd,Pt); X = Si,Ge) 124
Thermodynamics
thermodynamic assessment of the Al–Ni system 20
gallium + lead system: molar heat capacity and miscibility gap 155
Thermodynamic studies
thallium uranates and other (Tl,U,O) compounds: a structural and thermodynamic study 49
Thin films
growth of cerium(IV) oxide films by the electrochemical generation of base method 1
characterization of magnetron-sputtered ε iron-nitride films 81
Titanium
electrochemical deoxidation of yttrium–oxygen solid solutions 150
$TlCu_7S_4$
on the stoichiometry, space group and polymorphism of $TlCu_7S_4$ 33
$Tl_2U_4O_x$ compounds
thallium uranates and other (Tl,U,O) compounds: a structural and thermodynamic study 49
Tl–U–O system
thallium uranates and other (Tl,U,O) compounds: a structural and thermodynamic study 49

X-ray structure
studies on peroxomolybdates. XIX. Crystal structure of potassium heptaoxotetraperoxotrimolybdate(VI)–water(1/2) $K_4[Mo_3O_7(O_2)_4]\cdot 2H_2O$ 39

Yttrium
electrochemical deoxidation of yttrium–oxygen solid solutions 150